

ARK[™] *Lamotrigine Calibrator*

This ARK Diagnostics, Inc. package insert for the ARK Lamotrigine Calibrator must be read carefully prior to use. Package insert instructions must be followed accordingly. Reliability of the assay results cannot be guaranteed if there are any deviations from the instructions in this package insert.

CUSTOMER SERVICE

ARK Diagnostics, Inc. 48089 Fremont Blvd Fremont. CA 94538 USA Tel:

1-877-869-2320 Fax: 1-510-270-6298

customersupport@ark-tdm.com www.ark-tdm.com



Emergo Europe Westervoortsedijk 60 6827 AT Arnhem The Netherlands



MedEnvoy Switzerland Gotthardstrasse 28 6302 Zug Switzerland

KEY TO SYMBOLS USED

LOT	Batch code	YYYY- MM-DD	Use by/Expiration date
REF	Catalog Number		Manufacturer
EC REP	Authorized Representative	C€	CE Mark
IVD	In Vitro Diagnostic Medical Device	1	Temperature limitation
Ţij.	Consult Instructions for Use	CALIBRATOR	Calibrator
Rx Only	For Prescription Use Only		

1 NAME

\mathbf{A} RK $^{^{ ext{ iny M}}}$ Lamotrigine Calibrator

2 INTENDED USE

ARK Lamotrigine Calibrator is intended for use in calibration of the ARK Lamotrigine Assay, REF 5023-0001-00.

3 CONTENT

ARK Lamotrigine Calibrator is comprised of a synthetic protein matrix with the following concentrations of lamotrigine:

REF	Product Description		Quantity/Volume
5023-0002-00	ARK Lamotrigine Calibrators* Lamotrigine, buffer, bovine serum albumin, and preservatives		Dropper vials
	A	0.00 µg/mL	1 X 4 mL
	В	1.00 µg/mL	1 X 2 mL
	С	3.00 µg/mL	1 X 2 mL
	D	9.00 µg/mL	1 X 2 mL
	E	18.00 μg/mL	1 X 2 mL
	F	40.00 µg/mL	1 X 2 mL

^{*} To convert results from µg/mL lamotrigine to µmol/L lamotrigine, multiply µg/mL by 3.90. Lamotrigine levels become 3.90, 11.70, 35.10, 70.20, and 156.00 µmol/L for Calibrators B to F respectively.

4 STANDARDIZATION

There is no internationally recognized standard for lamotrigine. ARK Lamotrigine Calibrators are prepared by gravimetric dilution of high purity lamotrigine into a synthetic proteinaceous matrix free of lamotrigine.

5 WARNINGS AND PRECAUTIONS

- · For In Vitro Diagnostic Use.
- Do not mix calibrators from different lot numbers.
- Use each lot as a set.

6 INSTRUCTIONS FOR USE

- For a complete summary and explanation of the lamotrigine assay, refer to the package insert for the ARK Lamotrigine Assay
- Calibrators are ready to use. Mix each level by gentle inversion before dispensing.
- Squeeze sufficient volume (~40µL/drop) into individual sample cups for each level. Consult instrument-specific sample volume requirements. Return caps to their original containers and keep tight.
- Store vials at 2-8°C. Use prior to the expiration date. Once opened, vials may be stored at 2-8°C for 12 months within the expiration date.

7 PROCEDURE

Calibration

Perform a full calibration (6- point) procedure; test calibrators in duplicate. Verify the calibration curve with at least two levels of quality controls according to the established laboratory quality assurance plan.

When to Re-Calibrate

- Whenever a new lot number of reagents is used
- Whenever indicated by quality control results
- · Whenever required by standard laboratory protocols

8 LIMITATIONS OF PROCEDURE

Accurate and reproducible results are dependent upon properly functioning instruments, reagents, calibrators, controls, storage of product as directed, and good laboratory technique.

9 TRADEMARKS

 $\mathbf{A}\mathbf{R}\mathbf{K}^{^{\mathrm{TM}}}$ is a trademark of ARK Diagnostics, Inc.

Other brand or product names are trademarks of their respective holders.

