

Safety Data Sheet

Date of Issue/Date of Revision:

28-July-2026

Page 1 of 16

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING****1.1. Product Identifier:** ARK™ Apixaban Calibrator/Control

Product Number: 5047-0002-00, Calibrator

5047-0003-00, Controls

Component NameInternal Code

Calibrator A-F

4047-0004-00 to 4047-0004-05

Low, Mid and High Control

4047-0006-01 to 4047-0006-03

Product Type:

Liquid

**1.2. Relevant identified uses of the substance or mixture and uses advised against  
Invitro Diagnostic Kit Reagents for Professional users only****1.3. Details of the supplier of the safety data sheet**

Company

ARK Diagnostics, Inc.  
48089 Fremont Blvd  
Fremont, CA 94538  
USA

Telephone

1-510-270-6270

Fax

1-510-270-6298

Email:

[customersupport@ark-tdm.com](mailto:customersupport@ark-tdm.com)**1.4. Emergency Telephone**800-424-9300 CHEMTREC (USA)  
+1-703-527-3887 CHEMTREC (International)  
24 Hours/Day, 7 Days/Week**2. HAZARDS IDENTIFICATION****2.1. Classification of the substance or mixture**

This product is a reagent kit consisting of individual ingredients. The classification of material is not considered hazardous by the EC Regulation 1272/2008 and OSHA Hazard Communication (29CFR 1910.1200)

Safety Data Sheet

Date of Issue/Date of Revision:

28-July-2026

Page 2 of 16

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

**2.2. OSHA/HCS Status:**

Regulation (EC)  
1272/2008 [GHS]

ARK™ Apixaban Calibrator/Control

This material is not considered hazardous by the OSHA Hazard  
Communication Standard (29 CFR 1910.1200).

**GHS Label Elements:**

|                    |                                  |                                                  |
|--------------------|----------------------------------|--------------------------------------------------|
| Signal word:       | ARK™ Apixaban Calibrator/Control | No signal word.                                  |
| Hazard statements: | ARK™ Apixaban Calibrator/Control | No known significant effects or critical hazards |

**Precautionary statements**

|                                   |                                  |                 |
|-----------------------------------|----------------------------------|-----------------|
| Prevention:                       | ARK™ Apixaban Calibrator/Control | Not applicable. |
| Response:                         | ARK™ Apixaban Calibrator/Control | Not applicable. |
| Storage:                          | ARK™ Apixaban Calibrator/Control | Not applicable. |
| Disposal:                         | ARK™ Apixaban Calibrator/Control | Not applicable. |
| Supplemental label elements:      | ARK™ Apixaban Calibrator/Control | Not applicable. |
| Hazards not otherwise classified: | ARK™ Apixaban Calibrator/Control | Not applicable. |

**3. COMPOSITIONS/INFORMATION ON INGREDIENTS****ARK™ Apixaban Calibrator and Control****GHS Classification**

The GHS classification of the mixture has not been determined. Not a hazardous mixture based on bridging principles of GHS classification (2005) of individual components and ingredients and regulation EC No 1272/2008

**Components**

| Chemical name         | CAS no.<br>EC No       | Concentration (%w/w) | Classification            |
|-----------------------|------------------------|----------------------|---------------------------|
| Albumins, Blood Serum | 9048-46-8<br>232-936-2 | >0.1 to <5           | Not a hazardous substance |

*Any concentration shown as a range is to protect confidentiality or is due to batch variation. Concentrations below 0.1%w/w for other ingredients are excluded per EC 1907/2006 and amended Annex II 2020/878.*

*Occupational Exposure limits are listed in Section 8.*

**4. FIRST AID MEASURES**

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

**4.1. Description of necessary first aid measures**

|                         |                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye contact:            | If easy to do, remove contact lenses, if worn. Immediately flush eyes with copious amounts of water for at least 15 minutes. If irritation occurs or persists, notify medical personnel and supervisor.                                                                                                                                                            |
| Skin contact:           | Wash exposed area with soap and water and remove contaminated clothing/shoes. If irritation occurs or persists, notify medical personnel and supervisor.                                                                                                                                                                                                           |
| Inhalation:             | Immediately move exposed subject to fresh air. If not breathing, give artificial respiration. If breathing is labored, administer oxygen. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Immediately notify medical personnel and supervisor. |
| Ingestion:              | If swallowed, call a physician immediately. Do not induce vomiting unless directed by medical personnel. Do not give anything to drink unless directed by medical personnel. Never give anything by mouth to an unconscious person. Notify medical personnel and supervisor.                                                                                       |
| Protection of first aid | The first aid procedure should be established in consultation with medical personnel responsible for industrial medicine. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to perform mouth to mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.     |
| Responders:             | See Section 8 for Exposure Controls/Personal Protection Recommendations.                                                                                                                                                                                                                                                                                           |

**4.2. Most important symptoms and effects both acute and delayed: See also sections 2 and 11.**

|                                                                                      |                                                                                                            |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| Indication of immediate medical attention and special treatment needed if necessary: | Medical conditions aggravated by exposure: None known or reported. Treat symptomatically and supportively. |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|

**Potential acute health effects**

|               |                                                                                                                  |
|---------------|------------------------------------------------------------------------------------------------------------------|
| Eye contact:  | No known significant effects or critical hazards.                                                                |
| Inhalation:   | Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| Skin contact: | No known significant effects or critical hazards.                                                                |

Safety Data Sheet

Date of Issue/Date of Revision:

Page 4 of 16

28-July-2026

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

Ingestion: No known significant effects or critical hazards.

**Overexposure signs/symptoms**

Eye Contact No specific data.

Inhalation: No specific data.

Skin contact: No specific data.

Ingestion: No specific data.

**4.3. Indication of immediate medical attention and special treatment needed if necessary**

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. The first aid procedure should be established in consultation with a physician responsible for industrial medicine.

**5. FIREFIGHTING MEASURES****5.1. Extinguishing media**

Suitable extinguishing media: In case of fire, use water spray (fog), foam, carbon dioxide or dry chemical as appropriate for surrounding fire and materials.

Unsuitable extinguishing media: None known

**5.2. Special hazards arising from the substance or mixture**

Hazards from the substance or mixture In a fire or if heated a pressure increase could occur resulting in the container to burst

Hazardous thermal decomposition products: No specific data.

**5.3. Advice for firefighters**

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire fighters: Fire-fighters should wear appropriate protective equipment and

28-July-2026

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

self-contained breathing apparatus (SCBA) with a full face-piece

**6. ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in “For non-emergency personnel”.

- 6.2. Environmental precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**6.3. Methods and materials for containment and cleanup**

Small spill:

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of it via a licensed waste disposal contractor.

Large spill:

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

**6.4. Reference to other section(s)**

See section 1 for emergency contact information

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information and disposal

28-July-2026

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

**7. HANDLING AND STORAGE****7.1. Precautions for safe handling**

Protective measures:

Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene:

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash their hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**7.2. Conditions for safe storage, including any incompatibilities:**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store it in unlabeled containers. Use appropriate containment to avoid environmental contamination.

**7.3. Specific End Uses**

Laboratory Reagents for Clinical Chemistry Analyzers

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****8.1. Control Parameters**

ARK™ Apixaban Calibrator/Control

Contains no substances with occupational exposure limit values.

**8.2. Exposure Controls**

Appropriate engineering Controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

The selected protective equipment have to satisfy the specifications of Regulations EU 2016/425 and the standard EN 374 derived from it.

Hand

Wear appropriate protective gloves to prevent skin contact. Replace torn or punctured gloves promptly. Please observe the

28-July-2026

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

|                                  |                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                  | instructions regarding the permeability and breakthrough time provided by the supplier of gloves.                                                                                                                                                                                                                                                            |
| Eye                              | Wear Safety Glasses complying with approved standards commensurate with risk assessment indicating possibility of liquid splashes.                                                                                                                                                                                                                           |
| Skin and Body                    | Appropriate clothing preferably a lab coat as protective suit. Personal protective equipment for the body should be selected based on the task being performed and the risks involved in handling the product. Appropriate footwear and any additional skin protection should be selected during the performance of the tasks.                               |
| Hygiene measures                 | Handle in accordance with good industrial hygiene and safety practice.<br>Wash hands, forearms, and face thoroughly after handling chemical products before eating and using the lavatory/toilet at the end of the working period. Wash contaminated clothing before reusing. Ensure eyewash stations and safety showers are in the vicinity and functional. |
| Respiratory Protection           | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Ensure proper training and fitting before use. No personal respiratory protective equipment is normally required during the handling of this product.                                                                              |
| Environmental exposure controls: | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.                                         |

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

ARK™ Apixaban Calibrator/Control

|                              |                                                                      |
|------------------------------|----------------------------------------------------------------------|
| Appearance:                  | Clear Liquid                                                         |
| Color                        | Pale yellow to yellow                                                |
| Odor                         | Odorless                                                             |
| Odor threshold               | Not relevant due to nature of product information identified         |
| pH                           | 5.0 to 8.0                                                           |
| Melting point/freezing point | Not relevant due to nature of product      Initial boiling point and |

Safety Data Sheet

Date of Issue/Date of Revision:

28-July-2026

Page 8 of 16

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

|                                              |                                                         |             |
|----------------------------------------------|---------------------------------------------------------|-------------|
| boiling range                                | Not relevant due to nature of product                   | Flash point |
| Does not Flash                               |                                                         |             |
| Evaporation rate                             | No data available                                       |             |
| Flammability (liquids)                       | Does not sustain Combustion                             |             |
| Upper/lower flammability or explosive limits | No information identified                               |             |
| Vapor pressure                               | No information identified                               |             |
| Vapor density                                | No information identified                               |             |
| Relative density                             | No information identified                               |             |
| Water solubility                             | Miscible in water                                       |             |
| Solvent solubility                           | No information identified                               |             |
| Partition Coefficient (n-octanol/water)      | No information identified                               |             |
| Auto-Ignition temperature                    | No information identified                               |             |
| Decomposition temperature                    | No information identified                               |             |
| Viscosity                                    | No data available                                       |             |
| Explosive properties                         | Not Explosive                                           |             |
| Oxidizing properties                         | The substance or mixture is not classified as oxidizing |             |

**9.2. Other information**

|                          |                                       |
|--------------------------|---------------------------------------|
| Molecular weight         | Not Applicable, Homogeneous Mixture   |
| Molecular formula        | Not Applicable Homogeneous Mixture    |
| Particle Characteristics | Particle size not applicable          |
| Burning Time             | Not relevant due to nature of product |
| Burning Rate             | Not relevant due to nature of product |
| Heat of reaction         | Not relevant due to nature of product |
| Heat of combustion       | Not relevant due to nature of product |
| Flow time ( ISO 2431)    | Not relevant due to nature of product |

**10. STABILITY AND REACTIVITY****10.1. Reactivity**

No specific test data related to reactivity available for this

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

product or its ingredients. No dangerous reaction known under conditions of normal use.

**10.2. Chemical Stability** The product is stable when stored as recommended.

**10.3. Possibility of hazardous reactions** Not expected to occur

**10.4. Conditions to avoid** No thermal hazard.  
Avoid temperatures  $\geq 32^{\circ}\text{C}$  to preserve biochemical integrity.

**10.5. Incompatible materials** No information identified.

**10.6. Hazardous decomposition products** No information identified.

**11. TOXICOLOGICAL INFORMATION****11.1. Information on hazard classes**

Acute Toxicity Not classified based on available information

Irritation/Skin Corrosion Not classified based on available information

Serious Eye damage/Injury Not classified based on available information

Sensitization Not classified based on available information

Mutagenicity Not classified based on available information

Carcinogenicity Not classified based on available information

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen

OSHA No component of this product present at levels greater than or equal to 1% w/w is on OSHA's list of regulated carcinogens

NTP No ingredient of this product present at levels greater than or equal to 0.1% w/w is identified as a known or potential carcinogen.

Conclusion Summary:

Reproductive Toxicity Not available

Teratogenicity Not available

Conclusion Summary:

Safety Data Sheet

Date of Issue/Date of Revision:

28-July-2026

Page 10 of 16

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

Specific target organ toxicity (STOT)  
(Single exposure) Not available

Specific target organ toxicity  
(Multiple exposure) Not available

Aspiration hazard Not available.

**Potential acute health effects:**

Eye contact No known significant effects or critical hazards.

Inhalation No known significant effects or critical hazards.

Skin contact No known significant effects or critical hazards.

Ingestion No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

Eye contact No known significant effects or critical hazards.

Inhalation No known significant effects or critical hazards.

Skin contact No known significant effects or critical hazards.

Ingestion No known significant effects or critical hazards.

**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure**

Potential immediate effects Not available

Potential delayed effects Not available

**Long term exposure**

Potential immediate effects Not available

Potential delayed effects Not available

Potential chronic health effects Not available

**Conclusion/Summary**

General No known significant effects or critical hazards

Carcinogenicity No known significant effects or critical hazards

Safety Data Sheet

Date of Issue/Date of Revision:

28-July-2026

Page 11 of 16

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

|                       |                                                  |
|-----------------------|--------------------------------------------------|
| Mutagenicity          | No known significant effects or critical hazards |
| Teratogenicity        | No known significant effects or critical hazards |
| Developmental effects | No known significant effects or critical hazards |
| Fertility effects     | No known significant effects or critical hazards |

**Numerical measures of toxicity**

Acute toxicity measurement      Not available.

**11.2. Information on other hazards**

Endocrine disrupting properties      Not available

To the best of our knowledge, the chemical, physical and toxicological properties of the mixture s have not been thoroughly investigated.

**12. ECOLOGICAL INFORMATION****12.1. Toxicity**

HEPES

Toxicity to daphnia and other aquatic invertebrates  
48h

Static test EC50- Daphnia magna (water flea) >100mg/L  
(OECD Test Guideline 202)

Toxicity to algae

Static test NOEC – Pseudokirchneriella subcapitata

(Green algae) > 100mg/L 72h (OECD Test Guideline  
201)

Remarks – refers to pure substance (HEPES) not mixture

**12.2. Persistence and degradability**

Biodegradability Aerobic exposure 28d Results 0%. Not  
readily biodegradable (OECD Test Guideline 301D)

Remarks: Refers to pure substance data not available for mixture.

**12.3. Bio-accumulative potential**

Data not available

**12.4. Mobility in soil**

Safety Data Sheet

Date of Issue/Date of Revision:

28-July-2026

Page 12 of 16

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

Soil/water partition coefficient ( $K_{oc}$ )

Not Determined

**12.5. Results of PBT a vPvB assessment**

PBT/vPvB assessment not available

**12.6. Endocrine disrupting properties**

No data available

**12.7. Other adverse effects**

No known significant effects or critical hazards.

**13. DISPOSAL CONSIDERATIONS**

Disposal methods

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residue. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**14. TRANSPORT INFORMATION**

Transport

Based on available data, this product/mixture is not regulated as a hazardous material/dangerous good under EU ADR/RID US DOT, Canada TDG, IATA or IMDG.

**14.1. UN Number**

None assigned.

**14.2. UN Proper Shipping Name**

None assigned, not regulated as a dangerous good

**14.3. Transport hazard classes and packaging group good**

None assigned, not regulated as a dangerous

**14.4. UNRTDG, IATA\_DGR, IMDG-Code**

Not regulated as a dangerous good

**14.5. Packing Group**

No packing group assigned

**14.6. Environmental Hazards**

Not determined for mixture

**14.7. Special precautions for users**

Mixture not fully tested – avoid exposure.

**14.8. Maritime transport in bulk**

Not applicable

**14.9. Transport in bulk according to Annex II**

Safety Data Sheet

Date of Issue/Date of Revision:

28-July-2026

Page 13 of 16

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

of MARPOL 73/78 and the IBC code

Not applicable

**14.10. Domestic regulation (US)  
49 CFR**

Not assigned, Not regulated as a dangerous good

**15. REGULATORY INFORMATION****15.1. Safety, health, and environmental regulations/legislation specific for the substance and mixture**

This SDS complies with the requirements under the US, EU, and GHS (EU CLP – Regulation EC No 1272/2008) guidelines. Consult your local or regional authorities for more information.

REACH – Candidate List of Substances of very High Concern for Authorization (Article 59) – Not Applicable

REACH – List of Substances subject to Authorization ( Annex XIV) – Not Applicable

REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles ( Annex XVII) –Not Applicable

Regulation (EC No 1005/2009 on substances that deplete the ozone layer

-Not Applicable

Regulation EC No 850/2004 on persistent organic pollutants

-Not Applicable

Regulation(EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals –Not Applicable

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory TSCA 8(b) Not determined

Clean Air Act Section 112: Not listed

Hazardous Air Pollutants (HAPs)

Clean Air Act

Class I and II Substances

This product neither contains nor was manufactured with a Class I or Class II ODS as defined by the US Clean Air Act Section 602 ( 40 CFR 82)

This product does not contain any hazardous air pollutants (HAP) as identified by the US clean Air Act Section 112 ( 40 CFR 11).

This product does not contain any chemicals listed under the US Clean Air Act Section 112® for Accidental

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

**Release Prevention (40 CFR 68)**

This product does not contain any chemicals listed under the US Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the US Clean Water Act Section 311

This product does not contain any toxic pollutants listed under US Clean Water Act Section 307

This product does not contain any priority pollutants related to the US Clean Water Act

**15.2. Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this substance when it is used in the specified application.

DEA List I Chemicals Not listed

Precursor Chemicals Not listed

DEA List II Chemicals

Essential Chemicals Not listed

SARA 302/304

Composition/information on ingredients No products were found.

SARA 304RQ: Not applicable.

SARA 311/312

Classification: Not applicable

Composition/information on ingredients: No products were found.

**US State Regulations**

Massachusetts None of the components are listed

Maine None of the components are listed

New York None of the components are listed.

New Jersey None of the components are listed.

Pennsylvania None of the components are listed.

California None of the components are listed.

Canada inventory: The substances are listed in the DSL and do not meet the criteria of CEPA

European Inventory: On the C&L inventory of ECHA

**International regulations**

International lists: Australia inventory (AIIC):  
Brazil:

Not determined  
Not determined

Safety Data Sheet

Date of Issue/Date of Revision:

28-July-2026

Page 15 of 16

Date of Previous Issue:

01-June-2026

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

|                                             |                |
|---------------------------------------------|----------------|
| China inventory (IECSC):                    | Not determined |
| Japan inventory:                            | Not determined |
| Korea inventory:                            | Not determined |
| Malaysia inventory (EHS Register):          | Not determined |
| New Zealand Inventory of Chemicals (NZIoC): | Not determined |
| Philippines inventory (PICCS):              | Not determined |
| Taiwan inventory (CSNN):                    | Not determined |

**16. OTHER INFORMATION**

Revision #, Date of Effectivity: Refer to the Header of this document (The Effective Date is the same as the Revision Date.)

Key to Abbreviations:

AIIC - Australian Inventory of Industrial Chemicals  
ACGIH - American Conference of Governmental Industrial Hygienists  
ADR/RID - European Agreement Concerning the International Carriage of Dangerous goods by Road/Rail  
AIHA - American Industrial Hygiene Association  
ATE - Acute Toxicity Estimate  
BCF - Bioconcentration Factor  
C&L Inventory - Classification and Labeling for Substances (European Market)  
CAS - Chemical Abstracts Service  
CEPA - Canadian Environmental Protection Act  
CDR - Chemical Data Reporting  
CFR - Code of Federal Regulations  
CLP - Classification, Labelling and Packaging of Substances and Mixtures  
CSNN - Chemical Substance Nomination and Notification  
DEA - Drug Enforcement Administration  
DGR - Dangerous Goods Regulations  
DNEL - Derived No Effect Level  
DOT - Department of Transportation  
DSL - Domestic Substances List  
ECHA - European Chemicals Agency  
EHS - Environmentally Hazardous Substances (Malaysia)  
EINECS - European Inventory of Existing Chemical Substances  
EU - European Union  
GHS - Globally Harmonized System of Classification and Labelling of Chemicals  
IARC - International Agency for Research on Cancer  
IATA - International Air Transport Association  
IBC - Intermediate Bulk Container  
IDLH - Immediately Dangerous to Life or Health

**SDS – ARK™ Apixaban Calibrator/Control**

Meets the requirements of Regulation (EC) No. 1907/2006 (REACH), Annex II, with changes introduced by Commission Regulation (EU) 2020/878, and Occupational Safety and Health Administration Standard Number 1910.1200 App D.

---

IECSC - Inventory of Existing Chemical Substances (China)

IMDG - International Maritime Dangerous Goods

LOEL - Lowest Observed Effect Level

LOAEL - Lowest Observed Adverse Effect Level

LogPow - logarithm of the octanol/water partition coefficient

MARPOL 73/78 - International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. (Marpol=marine pollution)

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NOEL - No Observed Effect Level

NOAEL - No Observed Adverse Effect Level

NTP - National Toxicology Program

NZIoC – New Zealand Inventory of Chemicals

OECD - Organization of Economic Cooperation and Development

ODS - Ozone-Depleting Substances

OEL - Occupational Exposure Limit

OSHA - Occupational Safety and Health Administration

PICCS - Philippine Inventory of Chemicals and Chemical Substances

PNEC - Predicted No Effect Concentration

PBT/vPvB - Persistent, Bio-accumulative and Toxic/very Persistent and very Bio-accumulative

REACH - Registration, Evaluation, Authorization and Restriction of Chemicals

SARA - Superfund Amendments and Reauthorization Act

SOCMI - Synthetic Organic Chemical Manufacturing Industry

STEL - Short Term Exposure Limit

TDG - Transportation of Dangerous Goods

TSCA - Toxic Substances Control Act

TWA - Time-Weighted Average

UN - United Nations

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

VOC - Volatile Organic Compounds

WHMIS - Workplace Hazardous Materials Information System

Neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy and completeness of the information contained herein. No representation, warranty, or guarantee, expressed or implied (including warranty of fitness or merchantability for a particular purpose), is made with respect to the materials. The above information is offered in good faith and with the belief that it is accurate.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.